Ref #	· Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7639	(updat\$3 with automat\$3) with (information or info or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 17:33
L2	72	(updat\$3 with automat\$3) with schedul\$ and @py<"2001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 17:38
L3	3	(updat\$3 with automat\$3) with schedul\$ and ATM and @py<"2001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 17:40
L4	0	updat\$3 with schedul\$ with (carrier or courier or dispatcher or sender or mailsman or mailsperson)@py<"2001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 17:42
L5	36	updat\$3 with schedul\$ with (carrier or courier or dispatcher or sender or mailsman or mailsperson or messenger) and @py<"2001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 17:47
L6	48	updat\$3 near5 schedule with processor and @py<"2001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 17:50
L7	64	updat\$3 near5 schedule with received and @py<"2001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 17:57

L8	3	updat\$3 near5 appointment with received and @py<"2001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 17:58
L9	15	updat\$3 near5 appointment with computer and @py<"2001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 17:58
S1	2804	atm near5 locat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 17:29
S2	780	atm near5 locat\$3 and @py<"2001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 17:31
S3	7	atm near5 locat\$3 and @py<"2001" and courier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ ,	ON	2007/10/17 17:29
S4	26	identif\$3 same atm near5 locat\$3 same (customer or user or client or consumer) and @py<"2001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 17:34
S5	1	other near2 atm near8 locat\$3 and @py<"2001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 17:34

S6	2	(another or other) near2 (automat\$3 tell\$3 machine or automat\$3 bank\$3 machine or atm) near8 (locat\$3 or destination) and @py<"2001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 17:36
<b>S7</b>	1583	(automat\$3 tell\$3 machine or automat\$3 bank\$3 machine or atm) near5 (locat\$3 or destination) and @py<"2001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 17:37
S8	125	(automat\$3 tell\$3 machine or automat\$3 bank\$3 machine) near5 (locat\$3 or destination) and @py<"2001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 18:22
S9	141	(identif\$3) near8 (automat\$3 tell\$3 machine or automat\$3 bank\$3 machine or atm) near5 (location or destination) and @py<"2001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 17:40
S10	39	(identif\$3) near8 (automat\$3 tell\$3 machine or automat\$3 bank\$3 machine or atm) near5 (location) and @py<"2001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 17:39
S11	3	(identif\$3) near8 (automat\$3 tell\$3 machine or automat\$3 bank\$3 machine or atm) near5 (location or destination) and @py<"2001" and (automat\$3 tell\$3 machine or automat\$3 bank\$3 machine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 17:41
S12	229	(automat\$3 tell\$3 machine or automat\$3 bank\$3 machine or atm) near5 (location or destination) and @py<"2001" and (automat\$3 tell\$3 machine or automat\$3 bank\$3 machine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 17:41

S13	21	data near8 (automat\$3 tell\$3 machine or automat\$3 bank\$3 machine or atm) near5 (location or destination) and @py<"2001" and (automat\$3 tell\$3 machine or automat\$3 bank\$3 machine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 17:59
S14	1	"5799288".pn. and (user or client or customer or consumer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 18:00
S15	52	data near8 identif\$3 near8 (user or customer or consumer or client) near12 transaction same (atm or automat\$3 tell\$3 machine or automat\$3 bank\$3 machine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 18:17
S16	382	data near8 identif\$3 near8 (user or customer or consumer or client) same (atm or automat\$3 tell\$3 machine or automat\$3 bank\$3 machine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 18:17
S17	330	S16 not S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 18:17
S18	330	S16 not S15 and py<"2001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 18:17
S19	50	S16 not S15 and @py<"2001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 18:17

			I	T		
S20	0	(automat\$3 tell\$3 machine or automat\$3 bank\$3 machine) and "5898673".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 18:24
S21	0	(automat\$3) and "5898673".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 18:29
S22	2	"4660168".pn. and (customer or user or client or consumer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 19:00
S23	76	updat\$3 near3 schedul\$ near3 information same processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 19:00
S24	19	updat\$3 near3 schedul\$ near3 information same processor and @py<"2001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 19:02
S25	6	updat\$ courier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 19:02
S26	32	updat\$ near5 courier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 19:02

S27	4	updat\$ near5 courier and @py<"2001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 19:11
S28	0	updat\$ near5 schedul\$3 near10 processor and (automat\$3 tell\$3 machine or automat\$3 bank\$3 machine) and @py<"2001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 19:11
S29 ,	0	updat\$ near9 schedul\$3 near10 processor and (automat\$3 tell\$3 machine or automat\$3 bank\$3 machine) and @py<"2001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 19:12
S30	3	(revis\$3 or modif\$3 or updat\$3) near9 (schedul\$3 or agenda or timetable or appointment) same (automat\$3 tell\$3 machine or automat\$3 bank\$3 machine or courier or messenger or deliver\$3 near3 person) and @py<"2001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON <sup>a</sup>	2007/10/18 14:31
531	2	"7222081".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 15:52
S32	2	"7222081".pn. and (courier or schedul\$3 or updat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 14:33
S33	2	"7222081".pn. and (schedul\$3 or respons\$3 or data or process\$3 or updat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 15:53

S34	2	"7222081".pn. and (schedul\$3 or respons\$3 or data or process\$3 or updat\$3 OR COURIER)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 16:00
S35	35	(modif\$3 or modification or updat\$3 or chang\$3) near8 (deliver\$3 or courier or armorel vehicle) near9 (schedul\$) and (atm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 17:31
S36	3	(modif\$3 or modification or updat\$3 or chang\$3) near8 (deliver\$3 or courier or armorel vehicle) near9 (schedul\$) and (atm) and @py<"2001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/18 16:03